L Number	Hits	Search Text	DB	Time stamp
-	0		USPAT	2004/05/28 11:26
		consumer).ab.		
-	0	(USPAT	2004/04/05 13:30
		consumer\$1)		
-	0	,	USPAT	2004/04/05 13:30
_	٥	consumer\$1) (event\$1 with (remote near4 devices)	USPAT	2004/04/05 13:44
	•	same consumer\$1)	USFAI	2004/04/05 13:44
_	200		USPAT	2004/04/05 13:45
_	0		USPAT	2004/04/05 13:46
		or computer\$1) with event\$1).ab.		
-	10	, , , , , , , , ,	USPAT	2004/04/05 13:46
		or computer\$1) with event\$1)		
-	0	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
	177	updat\$3 or modif\$3)) same communi\$6).ab.	110037	2004/05/00 11 00
_	1//	((API with (transform\$3 or convert\$3 or updat\$3 or modif\$3)) same communi\$6)	USPAT	2004/05/28 11:28
_	0	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
]		updat\$3 or modif\$3)) same communi\$6) &	, 001	2001,03,20 11.20
		client\$1 & server41		
-	111	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:28
		updat\$3 or modif\$3)) same communi\$6) &		
		client\$1 & server\$1		000115-1
-	16	((API with (transform\$3 or convert\$3 or	USPAT	2004/05/28 11:57
		updat\$3 or modif\$3)) same communi\$6) same client\$1 same server\$1		
_	19		USPAT	2004/05/28 13:54
		updat\$3 or modif\$3)) with (request\$3 or	ODIAI	2004/03/28 13:54
		repl\$6 or respons\$3) same client\$1 same		
		server\$1		
-	106		USPAT	2004/05/28 11:45
		updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same server\$1		
_ :	1	,	USPAT	2004/05/28 11:46
	_	or updat\$3 or modif\$3)) with (request\$3 or	USFAI	2004/03/28 11:46
		repl\$6 or respons\$3) same client\$1 same		
		server\$1).ab.		
-	0	, , , , , , , , , , , , , , , , , , ,	USPAT	2004/05/28 11:47
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same		
_	35	server\$1) same API ((call\$3 with (transform\$3 or convert\$3	USPAT	2004/05/28 11:50
	33	or updat\$3 or modif\$3)) with (request\$3 or	USPAI	2004/05/28 11:50
		repl\$6 or respons\$3) same client\$1 same		
]		server\$1) & API		
-	132	((call\$3 with (transform\$3 or convert\$3	USPAT	2004/05/28 11:49
		or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3)).ab.		0004/07/22 22 22
-	4	_ , , , , , , , , , , , , , , , , , , ,	USPAT	2004/05/28 11:49
1		or updat\$3 or modif\$3)) with (request\$3 or repl\$6 or respons\$3) & transaction\$1).ab.		
-	3		USPAT	2004/05/28 11:54
]	or updat\$3 or modif\$3)) with (request\$3 or		
		repl\$6 or respons\$3) same client\$1 same		
		server\$1) & API & DLL		
-	0	((call\$3 with function\$1) with	USPAT	2004/05/28 11:55
		(transform\$3 or convert\$3 or updat\$3 or		
		<pre>modif\$3) with (request\$3 or repl\$6 or respons\$3) same client\$1 same server\$1) &</pre>		
		respons\$3) same client\$1 same server\$1) & API & DLL		
-	9		USPAT	2004/05/28 11:57
		updat\$3 or modif\$3)) same communi\$6) same		
		client\$1 same server\$1) & transaction\$1		
-	0		USPAT	2004/05/28 14:19
	_	(without with complil\$3)).ab.		0004/07/00
-	0	, , , ,	USPAT	2004/05/28 14:21
_	0	<pre>(without with complil\$3)) (JVM with bean\$3 with adapter with</pre>	USPAT	2004/05/28 14:20
		bytecode\$1).ab.	JOSERI	2004/03/20 14:20
		1 -4		

-	0	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.		
-	0	(JVM with bean\$3 with adaptor\$1 with	USPAT	2004/05/28 14:20
		bytecode\$1).ab.	ļ	·
-	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:21
-	0	(JVM with bytecode\$1).ab.	USPAT	2004/05/28 14:21
-	0	((java near2 virtual near2 machine) same	USPAT	2004/05/28 14:21
		(without with complil\$3)).ab.		
_	0	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.		
_	l о	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:23
_	0	(JVM with bean\$3 with bytecode\$1)	USPAT	2004/05/28 14:22
<u>-</u>	163	(JVM with bytecode\$1)	USPAT	2004/05/28 14:22
_	0	(bean\$3 with implement\$3 with	USPAT	2004/05/28 14:23
		bytecode\$1).ab.	OSFAI	2004/03/28 14.23
1_	0	(\$3bean\$3 with implement\$3 with	USPAT	2004/05/28 14:24
	•	bytecode\$1).ab.	USPAI	2004/03/28 14:24
	0		HODAM	2004/05/20 14 24
-		(java same adapt\$3 with implement\$3	USPAT	2004/05/28 14:24
		with bytecode\$1).ab.		
_	0	(adapt\$3 with implement\$3 with	USPAT	2004/05/28 14:24
	-	bytecode\$1).ab.		
-	2	(adapt\$3 with implement\$3 with	USPAT	2004/05/28 14:27
		bytecode\$1)		[
-	2	(implement\$3 with bytecode\$1 same	USPAT	2004/05/28 14:36
		without with compil\$3)		
-	0	(list\$3 with bytecode\$1 same without	USPAT	2004/05/28 14:37
		with compil\$3)		
-	3	(list\$3 with bytecode\$1 with compil\$3)	USPAT	2004/05/28 14:38
-	0	(listener\$3 with bytecode\$1 with	USPAT	2004/05/28 14:38
		compil\$3)		
-	29	(\$6bean\$3 with adapt\$6).ab.	USPAT	2004/05/28 14:39
-	0	(\$6bean\$3 with adapt\$6 & (bytecode\$1 or	USPAT	2004/05/28 14:39
		compil\$3)).ab.		01,00,20 14.55
-	1	((\$6bean\$3 with adapt\$6).ab.) &	USPAT	2004/05/28 16:01
	_	(bytecode\$1 or compil\$3)	331.31	-551, 55, 25 15.01
_	2	(interpret\$3 with compil\$3 same	USPAT	2004/05/28 17:05
		adapt\$6).ab.	USFAI	2004/05/28 17:05
_	۰ ا		IICDAM	2004/05/20 17:05
		(interpret\$3 with compil\$3 same bean\$1).ab.	USPAT	2004/05/28 17:05
	-) ·	710D3 III	2004/05/01 00 55
-	5	(interpret\$3 with compil\$3 same bean\$1)	USPAT	2004/06/01 09:56
-	1	(6,578,191 B1).pn.	USPAT	2004/06/01 14:15
-	0	(converg\$3 with section41).ab.	USPAT	2004/06/01 14:16
-	0	(converg\$3 with section41)	USPAT	2004/06/01 14:17
-	892	(TINA)	USPAT	2004/06/01 14:17
-	2	(TINA).ab.	USPAT	2004/06/01 14:18
-	24	(TINA same service same network\$3)	USPAT	2004/06/01 14:18
-	7	(TINA same service same network\$3 same	USPAT	2004/06/01 14:56
		session\$1)		
-	2	((TINA same service same network\$3	USPAT	2004/06/01 14:57
		same session\$1)) & API		
-	15	API same session with manager\$3 same	USPAT	2004/06/01 14:58
		communication		
-	10	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:00
		communication	1	,,
	3	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:38
		communication same applet\$1		-551, 55, 51 15.56
-	۰ ا	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:08
	l	communication & TINA	JULAI	2004/00/01 15:08
_	4	API same (session near4 manager\$3) &	USPAT	2004/06/02 15:15
		TINA	JOSEAL	2004/00/02 15:15
_	0	API same TINA	HEDAT	2004/05/01 35:24
_	53	API Same IINA API & TINA	USPAT USPAT	2004/06/01 15:24
1_			1	2004/06/01 15:32
1	4	API & (session near4 manager\$3) same	USPAT	2004/06/01 15:57
	_	TINA	HODE	1 2004/05/03 3 = 5 = 1
1-	0	API same (session near4 manager\$3)	USPAT	2004/06/01 15:35
		same converg\$3	an- =	
-	0	API same (session near4 manager\$3) &	USPAT	2004/06/01 15:35
	_	converg\$3		
-	0	API same (session near4 manager\$3)same "	USPAT	2004/06/01 15:53
		same end to end"		
-	0	API same (session near4 manager\$3)same	USPAT	2004/06/01 15:53
	l	" end to end"		

-	0	API same (session near4 manager\$3) & " end to end"	USPAT	2004/06/01 15:53
-	0	API same ("session manager\$3") & " end to end"	USPAT	2004/06/01 15:53
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
-	54	API same ("session manager ")	USPAT	2004/06/01 15:54
-	16	API same ("session manager ") & " end	USPAT	2004/06/01 15:54
	·	user"		,,
-	1	API same ("session manager ") same " end user"	USPAT	2004/06/01 15:54
-	5	API & (session near4 manager\$3) & TINA	USPAT	2004/06/01 16:03
-	8	API same (session near4 manager\$3)	USPAT	2004/06/01 16:09
-	3	same (plug or plug-in or plugin) API same (session near4 manager\$3) same	USPAT	2004/06/01 16:11
		applet\$1		
-	73	API same (session near4 manager\$3)	USPAT	2004/06/01 16:11
-	4	(API\$1 same (session near4 manager\$3)).ab.	USPAT	2004/06/01 16:11
-	4	(API same (session near4 manager\$3	USPAT	2004/06/01 16:11
-	3	(API\$1 same (session near4 manager\$3) & applet\$3).ab.	USPAT	2004/06/01 16:12
-	19	(API\$1 same (session near4 manager\$3) & applet\$3)	USPAT	2004/06/01 16:23
-	0	(API\$1 same (session near4 manager\$3) & realtor)	USPAT	2004/06/01 16:23
-	0	(API\$1 same (session near4 manager\$3) & realtor\$1)	USPAT	2004/06/01 16:23
-	5	(API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:32
-	1	(API\$1 same (session with manager\$6) same "end user")	USPAT	2004/06/01 16:33
-	20	(API\$1 same (session with manage\$6) same "end user")	USPAT	2004/06/01 16:37
-	18	(API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:33
-	18	(API\$1 with (session with manage\$6)	USPAT	2004/06/01 16:33
-	1	same " end user" & applet\$1) (API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
-	31	same " end user") (API\$1 same (session near4 manage\$6) & " end user")	USPAT	2004/06/01 16:39
-	8	(API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
-	4	API same (session near4 manage\$6) &	USPAT	2004/06/02 10:42
		TINA		
-	126	API same (session near4 manage\$6)	USPAT	2004/06/02 10:42
-	4	API same (session near4 manage\$6) & TINA\$6	USPAT	2004/06/02 10:42
-	6	API same (session near4 manage\$6) same applet\$3	USPAT	2004/06/02 12:09
_	438	(719/328).CCLS.	USPAT	2004/06/02 12:10
-	6	((719/328).CCLS.) & (API same (session	USPAT	2004/06/02 12:10
-	4	near4 manage\$6)) (((719/328).CCLS.) & (API same (session	USPAT	2004/06/02 12:55
-	1	near4 manage\$6))) & (notif\$6) (6,430,177 B1) pn.	USPAT	2004/06/02 15:49
-	0	(API with notif\$6 with session\$1).ab.	USPAT	2004/06/02 15:51
-	4	(API with notif\$6 same session\$1)	USPAT	2004/06/02 16:23
-	24	((session near4 manag\$6) with	USPAT	2004/06/02 17:07
Į į	4-3	communication with session same \$3switch\$3)	JULAI	2004/00/02 1/:0/
-	6	((session near4 manag\$6) with	USPAT	2004/06/02 17:00
-	19	communication with session with \$3switch\$3) ((session near4 manag\$6) with	USPAT	2004/06/02 17:07
	3	communication with session with gate\$6) ((session near4 manag\$6) with	USPAT	2004/06/03 12:23
	,	communication with session same \$3switch\$3)& TINA\$1	JOFAI	2004/00/03 12:23
			i	l

consumer).ab. (event with (remote near4 devices) with consumer\$1) 0 (event with (remote near4 devices) same USPAT 2004/0 consumer\$1) 0 (event with (remote near4 devices) same USPAT 2004/0 consumer\$1) 0 (event\$1 with (remote near4 devices) USPAT 2004/0 same consumer\$1) - 200 (719/318).CCLS. USPAT 2004/0	05/28 11:26
consumer).ab. (event with (remote near4 devices) with USPAT 2004/0	
- 0 (event with (remote near4 devices) with consumer\$1) - 0 (event with (remote near4 devices) same USPAT 2004/0 consumer\$1) - 0 (event\$1 with (remote near4 devices) SAME USPAT 2004/0 same consumer\$1) - 200 (719/318).CCLS. USPAT 2004/0 0 ((719/318).CCLS.) & (remote with (device\$1 USPAT 2004/0	14/05 13:30
consumer\$1)	
- 0 (event with (remote near4 devices) same USPAT 2004/0 consumer\$1) - 0 (event\$1 with (remote near4 devices) USPAT 2004/0 same consumer\$1) - 200 (719/318).CCLS. USPAT 2004/0 consumer\$1	74/03 13.30
consumer\$1)	
- 0 (event\$1 with (remote near4 devices) USPAT 2004/0 same consumer\$1) - 200 (719/318).CCLS. USPAT 2004/0 consumer\$1	04/05 13:30
same consumer\$1) - 200 (719/318).CCLS.	
- 200 (719/318).CCLS. USPAT 2004/0	04/05 13:44
- 0 ((719/318).CCLS.) & (remote with (device\$1 USPAT 2004/0	
- 0 ((719/318).CCLS.) & (remote with (device\$1 USPAT 2004/0	04/05 13:45
	04/05 13:46
	04/05 13:46
or computer\$1) with event\$1)	31,03 13.40
	NE / NO. 11. NO.
	05/28 11:28
updat\$3 or modif\$3)) same communi\$6).ab.	
- 177 ((API with (transform\$3 or convert\$3 or USPAT 2004/0	05/28 11:28
updat\$3 or modif\$3)) same communi\$6)	
- 0 (API with (transform\$3 or convert\$3 or USPAT 2004/0	05/28 11:28
updat\$3 or modif\$3)) same communi\$6) &	
client\$1 & server41	
	05/28 11:28
updat\$3 or modif\$3)) same communi\$6) &	,0
client\$1 & server\$1	
	05/28 11:57
updat\$3 or modif\$3)) same communi\$6) same	J5/20 11:5/
client\$1 same server\$1	
- 19 (API with (transform\$3 or convert\$3 or USPAT 2004/0	05/28 13:54
updat\$3 or modif\$3)) with (request\$3 or	
repl\$6 or respons\$3) same client\$1 same	
server\$1	
- 106 (call\$3 with (transform\$3 or convert\$3 or USPAT 2004/6	05/28 11:45
updat\$3 or modif\$3)) with (request\$3 or	
repl\$6 or respons\$3) same client\$1 same	
server\$1	
	05/28 11:46
or updat\$3 or modif\$3)) with (request\$3 or	05/26 11:46
repl\$6 or respons\$3) same client\$1 same	
server\$1).ab.	
	05/28 11:47
or updat\$3 or modif\$3)) with (request\$3 or	
repl\$6 or respons\$3) same client\$1 same	
server\$1) same API	
- 35 ((call\$3 with (transform\$3 or convert\$3 USPAT 2004/6	05/28 11:50
or updat\$3 or modif\$3)) with (request\$3 or	
repl\$6 or respons\$3) same client\$1 same	
server\$1) & API	
	05/28 11:49
or updat\$3 or modif\$3)) with (request\$3 or	/20 II:43
repl\$6 or respons\$3)).ab.	
	05/00 == -=
- 4 ((call\$3 with (transform\$3 or convert\$3 USPAT 2004/0	05/28 11:49
or updat\$3 or modif\$3)) with (request\$3 or	
repl\$6 or respons\$3) & transaction\$1).ab.	
	05/28 11:54
or updat\$3 or modif\$3)) with (request\$3 or	
repl\$6 or respons\$3) same client\$1 same	
server\$1) & API & DLL	
	05/28 11:55
(transform\$3 or convert\$3 or updat\$3 or	,
modif\$3) with (request\$3 or repl\$6 or	
respons\$3) same client\$1 same server\$1) &	
API & DLL	25/25 25 ==
9 (((API with (transform\$3 or convert\$3 or USPAT 2004/0	05/28 11:57
updat\$3 or modif\$3)) same communi\$6) same	
client\$1 same server\$1) & transaction\$1	
- 0 ((java near2 virtual near2 machine) same USPAT 2004/0	05/28 14:19
(without with complil\$3)).ab.	
	05/28 14:21
(without with complil\$3))	• • • • • • • •
	05/28 14:20
bytecode\$1).ab.	,
, , , , , , , , , , , , , , , , , , , ,	

-	0		USPAT	2004/05/28 14:21
		bytecode\$1).ab.		
-	0	(JVM with bean\$3 with adaptor\$1 with	USPAT	2004/05/28 14:20
	_	bytecode\$1).ab.	_	, ,
-	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:21
-	0	(JVM with bytecode\$1).ab.	USPAT	2004/05/28 14:21
-	0	((java near2 virtual near2 machine) same	USPAT	2004/05/28 14:21
İ		(without with complil\$3)).ab.	ļ	
_	٥ ا	(JVM with bean\$3 with adapter\$1 with	USPAT	2004/05/28 14:21
		bytecode\$1).ab.		,,
_	0	(JVM with bean\$3 with bytecode\$1).ab.	USPAT	2004/05/28 14:23
_	0	(JVM with bean\$3 with bytecode\$1).ab.	i	2004/05/26 14:23
_			USPAT	2004/05/28 14:22
_	163	(JVM with bytecode\$1)	USPAT	2004/05/28 14:22
-	0	(bean\$3 with implement\$3 with	USPAT	2004/05/28 14:23
		bytecode\$1).ab.		
-	0	(\$3bean\$3 with implement\$3 with	USPAT	2004/05/28 14:24
		bytecode\$1).ab.	1	
-	0	(java same adapt\$3 with implement\$3	USPAT	2004/05/28 14:24
		with bytecode\$1).ab.		, ,
_	0	N 	USPAT	2004/05/28 14:24
		bytecode\$1).ab.		= 101, 00, 20 14.24
_	2		USPAT	2004/05/28 14:27
		bytecode\$1)	JOLAI	2004/05/20 14:2/
_	2	• · · · · · · · · · · · · · · · · · ·	TICDATE	2004/05/20 14 25
-	2	(implement\$3 with bytecode\$1 same	USPAT	2004/05/28 14:36
	_	without with compil\$3)		0004/05/55
-	0	(list\$3 with bytecode\$1 same without	USPAT	2004/05/28 14:37
		with compil\$3)	1	<u> </u>
-	3	(list\$3 with bytecode\$1 with compil\$3)	USPAT	2004/05/28 14:38
-	0	(listener\$3 with bytecode\$1 with	USPAT	2004/05/28 14:38
		compil\$3)		
-	29	(\$6bean\$3 with adapt\$6).ab.	USPAT	2004/05/28 14:39
-	0	(\$6bean\$3 with adapt\$6 & (bytecode\$1 or	USPAT	2004/05/28 14:39
	_	compil\$3)).ab.		=001, 00, =0 =1100
_	1	((\$6bean\$3 with adapt\$6).ab.) &	USPAT	2004/05/28 16:01
1	1	(bytecode\$1 or compil\$3)	351.71	2004,03,20 10:01
_	2	(interpret\$3 with compil\$3 same	USPAT	2004/05/28 17:05
-	2		USPAT	2004/05/28 17:05
	-	adapt\$6).ab.		0000/05/55 55 5
-	0	(interpret\$3 with compil\$3 same bean\$1	USPAT	2004/05/28 17:05
j).ab.		
-	5	(interpret\$3 with compil\$3 same bean\$1)	USPAT	2004/06/01 09:56
-	1	(6,578,191 B1).pn.	USPAT	2004/06/01 14:15
-	0	(converg\$3 with section41).ab.	USPAT	2004/06/01 14:16
-	0	(converg\$3 with section41)	USPAT	2004/06/01 14:17
-	892	(TINA)	USPAT	2004/06/01 14:17
_	2	(TINA).ab.	USPAT	2004/06/01 14:18
_	24	(TINA same service same network\$3)	USPAT	2004/06/01 14:18
l -	7		USPAT	2004/06/01 14:16
	,	session\$1)	JOSEAL	2004/00/01 14:20
_	2	· ·	HODAM	2004/05/03 34 55
-	2	((TINA same service same network\$3	USPAT	2004/06/01 14:57
1		same session\$1)) & API	l	
-	15	API same session with manager\$3 same	USPAT	2004/06/01 14:58
		communication		
-	10	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:00
		communication		
-	3	API same (session near4 manager\$3) same	USPAT	2004/06/01 15:38
		communication same applet\$1		,,
_	0	• • • • • • • • • • • • • • • • • • •	USPAT	2004/06/01 15:08
		communication & TINA		-551,55,51 15.06
_	4	API same (session near4 manager\$3) &	USPAT	2004/06/02 15:15
	"	TINA	USPAI	2004/00/02 15:15
	_		HODAM	2004/05/03 35 31
-	0	API same TINA	USPAT	2004/06/01 15:24
-	53	API & TINA	USPAT	2004/06/01 15:32
-	4	API & (session near4 manager\$3) same	USPAT	2004/06/01 15:57
	_	TINA	1	
-	0	API same (session near4 manager\$3)	USPAT	2004/06/01 15:35
		same converg\$3		
-	0	1 111 11111 (20022011 1100021 111000301 70 7	USPAT	2004/06/01 15:35
		converg\$3	1	
-	0	API same (session near4 manager\$3)same "	USPAT	2004/06/01 15:53
		same end to end"		
-	0	API same (session near4 manager\$3)same	USPAT	2004/06/01 15:53
		" end to end"		=====
			·	

-	0	API same (session near4 manager\$3) & " end to end"	USPAT	2004/06/01 15:53
-	0	API same ("session manager\$3") & " end to end"	USPAT	2004/06/01 15:53
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
-	0	API same ("session manager\$3")	USPAT	2004/06/01 15:54
-	54	API same ("session manager ")	USPAT	2004/06/01 15:54
<u>-</u>	16	API same ("session manager ") & " end	USPAT	2004/06/01 15:54
		user"	002111	2001/00/01 13:34
_	1	API same ("session manager ") same "	USPAT	2004/06/01 15:54
-	5	end user" API & (session near4 manager\$3) &	USPAT	2004/06/01 16:03
-	8	TINA API same (session near4 manager\$3)	USPAT	2004/06/01 16:09
_	3	same (plug or plug-in or plugin) API same (session near4 manager\$3) same	USPAT	2004/06/01 16:11
		applet\$1		1
-	73	API same (session near4 manager\$3)	USPAT	2004/06/01 16:11
-	4	(API\$1 same (session near4 manager\$3	USPAT	2004/06/01 16:11
-	4	(API same (session near4 manager\$3	USPAT	2004/06/01 16:11
_	3	(API\$1 same (session near4 manager\$3) & applet\$3).ab.	USPAT	2004/06/01 16:12
-	. 19	(API\$1 same (session near4 manager\$3) & applet\$3)	USPAT	2004/06/01 16:23
-	0	(API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:23
-	О	& realtor) (API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:23
_	5	& realtor\$1) (API\$1 same (session near4 manager\$3)	USPAT	2004/06/01 16:32
-	1	& house\$1) (API\$1 same (session with manager\$6)	USPAT	2004/06/01 16:33
-	20	same " end user") (API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:37
_	18	same " end user") (API\$1 same (session with manage\$6)	USPAT	2004/06/01 16:33
_	18	same " end user" & applet\$1) (API\$1 with (session with manage\$6)	USPAT	2004/06/01 16:33
-	1	same	USPAT	2004/06/01 16:39
_	31	same " end user") (API\$1 same (session near4 manage\$6)	USPAT	2004/06/01 16:39
_	8	<pre>& " end user") (API\$1 same (session near4 manage\$6)</pre>	USPAT	2004/06/01 16:39
_	4	& " end user" & applet\$1) API same (session near4 manage\$6) &	USPAT	2004/06/02 10:42
		TINA]
-	126	API same (session near4 manage\$6)	USPAT	2004/06/02 10:42
-	4	API same (session near4 manage\$6) & TINA\$6	USPAT	2004/06/02 10:42
-	6	API same (session near4 manage\$6) same applet\$3	USPAT	2004/06/02 12:09
1.	420		TTOD3.TT	2004/05/00 55 55
-	438 6	(719/328).CCLS. ((719/328).CCLS.) & (API same (session	USPAT USPAT	2004/06/02 12:10 2004/06/02 12:55
-	4	near4 manage\$6)) (((719/328).CCLS.) & (API same (session	USPAT	2004/06/02 12:55
-	1	near4 manage\$6))) & (notif\$6) (6,430,177 B1).pn.	USPAT	2004/06/02 15:49
-	0	(API with notif\$6 with session\$1).ab.	USPAT	2004/06/02 15:51
-	4	(API with notif\$6 same session\$1)	USPAT	2004/06/02 16:23
-	24	((session near4 manag\$6) with	USPAT	2004/06/02 17:07
_	6	communication with session same \$3switch\$3) ((session near4 manag\$6) with	USPAT	2004/06/02 17:00
_	10	communication with session with \$3switch\$3)	HODAM	
	19	((session near4 manag\$6) with communication with session with gate\$6)	USPAT	2004/06/02 17:07
_	3	((session near4 manag\$6) with communication with session same \$3switch\$3)&	USPAT	2004/06/03 12:23
L		TINA\$1		